



ArmstrongFlooring™

Chesterfield™

Luxury Vinyl Plank

Stirling Oak

Chesterfield™

Luxury Vinyl Plank

Chesterfield™ is crafted to bring timeless beauty and practical performance to every room in your home. Designed with a blend of modern and classic timber aesthetics, our collection features a wide range of authentic timber look finishes, from elegant oak vinyl planks to rich spotted gum and warm blackbutt tones.

Whether you're refreshing a living area, upgrading a kitchen, or designing a cozy bedroom retreat, Chesterfield™ offers a versatile palette of colours and textures to complement any interior style. Ideal for everyday living, the range offers exceptional durability, making it a great solution for busy households. Its stain and scratch resistant surface is perfect if you have children or pets.

With Chesterfield™ you can enjoy the look of timber flooring without the high maintenance as the flooring is easy to clean, bringing long-lasting style, comfort, and performance to your home.

Features & Benefits



EASY CLEAN

Low maintenance properties make cleaning easier



SCRATCH RESISTANT

Protection so your floors look newer for longer



STAIN RESISTANT

For peace of mind for life's mishaps



HIGHLY DURABLE

Designed for foot traffic and offers longevity



FAMILY FRIENDLY

Ideal for everyday living so you can enjoy your floors



WATERPROOF SURFACE

Ideal for spill prone areas such as kitchens*



PET FRIENDLY

Easy to keep clean and maintain with pets



RESIDENTIAL WARRANTY

15-Year residential warranty^
Commercial warranty on request

*Subject to proper installation and care and maintenance as set out in the Armstrong Flooring Installation Instructions and Cleaning and Care Instructions.


^All warranties are in addition to any rights consumers may have under consumer laws. Terms and conditions apply-for full information in respect to the scope of the residential warranty, please see [AU website](#) or [NZ website](#) or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.



Chesterfield™

Grand Oak

With rich golden undertones and soft ash-brown hues, it brings nature's elegance indoors.



Chesterfield™

Fortuna Oak


The soft sun-washed tones and grain detail, it brings a sense of effortless calm.



Chesterfield™

Stirling Oak

Bold and beautifully balanced,
the cool mid-grey tones and
natural texture delivers character.



Plank size: 1219mm x 184mm x 2mm



Stirling Oak LRV 37.4



Fortuna Oak LRV 35.47



Java Oak LRV 30.21



Grand Oak LRV 26.99



Tobacco Oak LRV 20.14



Select Tassie Oak LRV 28.99
Strong colour variation



Seasoned Spotted Gum LRV 30.84
Strong colour variation



Silky Blackbutt LRV 33.21
Strong colour variation

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our [Colour Variation Factsheet](#)
It is recommended you view the actual product in store - visit our [AU Store Locator](#) or [NZ Store Locator](#)

Plank size: 1219mm x 184mm x 2mm



Prime Tassie Oak
Strong colour variation

LRV 22.94



Grand Blackbutt
Strong colour variation

LRV 19.98



Natural Spotted Gum
Strong colour variation

LRV 19.6



Havana Oak
Strong colour variation

LRV 15.55



Silky Blackbutt

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only
refer to our [Colour Variation Factsheet](#)
It is recommended you view the actual product in store - visit our [AU Store Locator](#) or [NZ Store Locator](#)



Chesterfield™

Room Visualiser

Flooring is the foundation of any space and an element you want to get right. Our Room Visualiser tool will bring your vision to life and help make the decision-making process easier, all from the convenience of your desktop, mobile or tablet device.

Simply upload a photo of your space or select one of our pre-existing room scenes, and then choose the flooring colour you are interested in. Watch the space transform as you immerse yourself in the various flooring colours and design options.

Start designing today by clicking on your relevant country below.



Chesterfield™

Technical Data

| Product Classification | | |
|---|--|---|
| Type of floor covering | ISO 10582 | Luxury Vinyl Plank |
| Wear Class | ISO 10582 | Type I |
| Classification (Use Area) | ISO 10874 | Domestic: 23 (Heavy) Commercial: 31 (Moderate) |
| Warranty* | Residential Commercial - available upon request | 15 years 3 years |
| <small>*All warranties are in addition to any rights consumers may have under Australian and New Zealand consumer laws. Terms and conditions apply - for full information in respect to the scope of the residential warranty, please see armstrongflooring.au or armstrongflooring.co.nz or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.</small> | | |

| Physical Properties | | |
|------------------------|-----------|-----------------|
| Surface Treatment | | PUR > 48% clear |
| Colours (Standard) | | 12 |
| Overall thickness (mm) | ISO 24346 | 2.0 |
| Wear layer (mm) | ISO 24340 | 0.30 |
| Bevel | | Micro |
| Dimensions (mm) | ISO 24342 | 1219 x 184 |
| Planks/carton | | 20 |
| m²/carton | | 4.49 |
| m²/pallet | | 314.3 |
| kg/carton | | 16.0 |

| Installation | | |
|---|--|--|
| To current AS/NZS 1884 and Armstrong Flooring Installation Instructions – LVT/P | | |

| Sustainability | | |
|-----------------|---|--|
| Global GreenTag | GreenRate Level A | |
| TVOC Emissions | Compliant with Green Building Council low emitting VOC emission rates | |

| Technical Performance | | |
|-------------------------|--|--------------------------|
| Slip Resistance | AS 4586 Wet Pendulum (Appendix A) | P2 |
| Fire Resistance (Floor) | AS ISO 9239-1 Critical Radiant Flux (CHF Value) Smoke Development Rate | ≥ 4.5kW/m² ≤ 750%.min |
| Other | | |
| Colour fastness | ISO 105-B02, Method 3 | ≥ 6 |

| Accreditation | | |
|--|--|--|
| Manufactured under accredited ISO 9001 quality, ISO 14001 environmental and ISO 45001 OHS management systems | | |

All specifications are current as at date of publication and may be changed without notice. For current and complete specifications please visit armstrongflooring.au or armstrongflooring.co.nz
All Armstrong Flooring products must be installed in accordance with the relevant Australian and/or New Zealand applicable standards and the Armstrong Flooring Installation Instructions.
Variations may occur between samples, photographic images, and batches in terms of colour, shade, pattern or similar.



Learn more

www.armstrongflooring.au/chesterfield



www.armstrongflooring.co.nz/chesterfield



ArmstrongFlooring™

Australia

29-39 Mills Road, Braeside VIC 3195
1800 632 624
customerservices@armstrongflooring.au
www.armstrongflooring.au

New Zealand

39/332 Great North Road, Grey Lynn, Auckland 1021
0800 449 649
customerservices@armstrongflooring.co.nz
www.armstrongflooring.co.nz