ArmstrongFlooring™

Natural Creations™ XL

Luxury Vinyl Plank

Tasmanian Oak

Natural Creations™ XL

Luxury Vinyl Plank

Elevate your interiors with the sophisticated charm of Natural Creations™ XL, a premium collection of luxury vinyl flooring inspired by both modern and classic hardwood and oak designs. Whether you're seeking the warm tones of traditional oak or the sleek appeal of contemporary wood aesthetics, this collection offers a wide array of stylish options to suit any interior vision.

Crafted for performance as much as beauty, the plank flooring features a robust 0.55mm wear layer that provides outstanding durability, making it ideal for high-traffic areas. Its scratch and stain resistant surface ensures lasting beauty with ease of maintenance.

Perfectly suited for a variety of spaces, including residential homes, apartments, retail stores, supermarkets, educational facilities, retirement villages and healthcare environments, Natural Creations™ XL brings a touch of luxury and practicality.

Features & Benefits

EASY CLEAN
Low maintenance properties make cleaning easier

SCRATCH RESISTANT
Protection so your floors look newer for longer

STAIN RESISTANT
For peace of mind for life's mishaps

HIGHLY DURABLE
Suitable for residential and commercial applications

FAMILY FRIENDLY
Ideal for everyday living so you can enjoy your floors

WATERPROOF SURFACE
Ideal for spill prone areas such as kitchens*

HIGH FOOT TRAFFIC
Designed for foot traffic offering longevity

RESIDENTIAL WARRANTY
25-year residential warranty^
Commercial warranty on request

*Subject to proper installation and care and maintenance as set out in the Armstrong Flooring Installation Instructions and Cleaning and Care Instructions.
^All warranties are in addition to any rights consumers may have under consumer laws. Terms and conditions apply-for full information in respect to the scope of the residential warranty, please see AU website or NZ website or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.

Barnyard Grey

Natural Creations™ XL

Tasmanian Oak

Golden hues create a calming foundation and brings a soft natural elegance to any space.

Natural Creations™ XL

Oak Harmony

Beautifully balanced blend
of warm and cool undertones
for a versatile contemporary look.

Natural Creations™ XL

Ironbark Rustic

Rich and full of character, the bold grain and deep tones create a warm and grounded aesthetic.

Natural Creations™ XL

Riverland Limed

Soft sun-washed tones give a breezy and airy feel, perfect for brightening interiors.

Natural Creations™ XL

Colour Palette

Plank size: 1500mm x 230mm x 5mm

Riverland Limed LRV 44.25

Barnwood Ombre LRV 24.75

Tasmanian Oak LRV 31.10
Strong colour variation

Oak Harmony LRV 23.56

Riverland Smoke LRV 26.17

Riverland Ash LRV 18.68

Riverland Natural LRV 20.14

Barnyard Grey LRV 33.08

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our Colour Variation Factsheet
It is recommended you view the actual product in store (full range may not be on display so please check with the store) - visit our Store Locator

Natural Creations™ XL

Colour Palette

Plank size: 1500mm x 230mm x 5mm

Ironbark Rustic LRV 20.76

Spotted Gum LRV 18.25
Strong colour variation

Valley Oak Mist LRV 14.96

Valley Oak Haze LRV 11.17

Blackbutt LRV 18.31
Strong colour variation

Oak Tranquil LRV 20.39

Oak Debonair LRV 10.20

Oak Moody LRV 7.76

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our Colour Variation Factsheet
It is recommended you view the actual product in store (full range may not be on display so please check with the store) - visit our Store Locator

Natural Creations™ XL

Colour Palette

Plank size: 1500mm x 230mm x 5mm

Wildwood Golden LRV 25.06

Wildwood Tawny LRV 13.14

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our Colour Variation Factsheet
It is recommended you view the actual product in store (full range may not be on display so please check with the store) - visit our Store Locator

Barnwood Ombre

Natural Creations™ XL

Room Visualiser

Flooring is the foundation of any space and an element you want to get right. Our Room Visualiser tool will bring your vision to life and help make the decision-making process easier, all from the convenience of your desktop, mobile or tablet device.

Simply upload a photo of your space or select one of our pre-existing room scenes, and then choose the flooring colour you are interested in. Watch the space transform as you immerse yourself in the various flooring colours and design options.

Start designing today by clicking below.

GO TO VISUALISER

Natural Creations™ XL

Technical Data

Product Classification

Type of floor covering	ISO 10582	Luxury Vinyl Plank
Wear Class	ISO 10582	Type I
Classification (Use Area)	ISO 10874	Domestic: 23 (Heavy) Commercial: 33 (Heavy) Light Industrial: 42 (General)
Warranty*	Residential Commercial - available upon request	25 years 15 years

*All warranties are in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the residential warranty, please see armstrongflooring.au or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.

Physical Properties

Surface Treatment		PUR
Colours (Standard)		18
Overall thickness (mm)	ISO 24346	5.0
Wear layer (mm)	ISO 24340	0.55
Bevel		Micro
Dimensions (mm)	ISO 24342	1500 x 230
Core		Fibreglass reinforced
Planks/carton		6
m^2/carton		2.07
m^2/pallet		157.32
kg/carton		19.2

Installation

To current AS/NZS 1884 and Armstrong Flooring Installation Instructions – LVT/P

Sustainability

Global GreenTag	GreenRate Level A
TVOC Emissions	Compliant with Green Building Council low emitting VOC emission rates

Technical Performance

Slip Resistance	AS 4586 Wet Pendulum (Appendix A)	 P3
Fire Resistance (Floor)	AS ISO 9239-1 Critical Radiant Flux (CHF Value) Smoke Development Rate	 ≥ 4.5kW/m^2 ≤ 750%.min
Acoustic	ISO 10140-3 & ISO 717-2 Impact sound insulation	Ln,w = 42dB (150mm concrete with 3mm underlay and drop ceiling - 288mm cavity, 50mm glass wool insulation, 12mm gypsum board) Ln,w = 53dB (150mm concrete and drop ceiling - no underlay 288mm cavity, 50mm glass wool insulation, 12mm gypsum board)
	ASTM E989-21 Impact insulation class	IIC = 67 (150mm concrete with 3mm underlay and drop ceiling - 288mm cavity, 50mm glass wool insulation, 12mm gypsum board) IIC = 49 (150mm concrete and drop ceiling - no underlay 288mm cavity, 50mm glass wool insulation, 12mm gypsum board)
Other		
Colour fastness	ISO 105-B02, Method 3	≥ 6

Accreditation

Manufactured under accredited ISO 9001 quality and ISO 14001 environmental management systems

All specifications are current as at date of publication and may be changed without notice. For current and complete specifications please visit armstrongflooring.au

All Armstrong Flooring products must be installed in accordance with the relevant Australian applicable standards and the Armstrong Flooring Installation Instructions.

Variations may occur between samples, photographic images, and batches in terms of colour, shade, pattern or similar.

Learn more

www.armstrongflooring.au/naturalcreationsxl

Australia
29-39 Mills Road, Braeside VIC 3195
1800 632 624
customerservices@armstrongflooring.au
www.armstrongflooring.au

New Zealand
39/332 Great North Road, Grey Lynn, Auckland 1021
0800 449 649
customerservices@armstrongflooring.co.nz
www.armstrongflooring.co.nz

Armstrong Flooring and the Armstrong Flooring logo are under license from AWI Licensing, LLC

July 2025