



DESSO

# FIELDS

CARPET TILES



## THE BEAUTY OF CIRCULARITY


At Tarkett, our approach to circularity focuses on three key areas: design, materials and circular journey. For us, the beauty of circularity is about the beauty of the reused materials that go into our products, the innovative manufacturing processes we implement, and the knowledge that we're actively cutting down on waste and greenhouse gas emissions.

## THE EVOLUTION OF ECOBASE®

Over a decade ago we made a commitment to place circularity at the core of our ambitions as a company. Our carpet tiles are composed of two key components – yarn and EcoBase backing – that come together just as neatly as they can later be taken apart. As part of our continuous efforts to reduce our carbon footprint we are proud to launch a new and improved EcoBase backing, which sees a new bio-based ingredient replace a core ingredient formerly composed of petroleum-based content.



# OUR CIRCULAR CARBON FOOTPRINT



To keep track of the carbon generated and saved over a product's life cycle, we calculate and externally verify the Circular Carbon Footprint of every one of our carpet tile collections.

Together with our holistic design approach and carefully considered materials, our closed-loop system ensures that our carpet tiles record an impressively low circular carbon footprint – one we're continually working, alongside our partners and customers, to shrink even further.

Circular Carbon Footprint: according to the Environmental Product Declaration (EPD) S-P-08559 DESSO DESSO Fuse and Fields externally verified by Bureau Veritas, based on the total carbon footprint (Modules A-D) with a closed loop circular recycling scenario.



FIELDS 1101  
FIELDS 8841  
FIELDS 7814  
FIELDS 2087  
FIELDS 2912

# DESSO FIELDS

The DESSO Fields carpet tile collection has been redesigned to offer commercial interior designers a wealth of colour combinations. A textured carpet tile that gives the distinct impression of a hand-woven textile, Fields' enlarged and irregular loops help create highly tactile flooring that will render any space warm and welcoming.



FIELDS 1510  
FIELDS 9945  
FIELDS9522  
FIELDS 8834

FIELDS 2127  
FIELDS 4202  
FIELDS 9111  
FIELDS 4438



# DESSO FIELDS

A contemporary palette of 37 different shades can be combined to produce unique outcomes. Designers can choose to mix a variety of neutral tones or pair bright colours with spicier shades for a rich aesthetic.


Further extending the range, Fields can be perfectly combined with the DESSO Linon collection, unifying different textures for a contemporary look and feel, whilst expanding the colour options to a total of 55.



FIELDS 1101  
FIELDS 8841  
FIELDS 7814  
FIELDS 2087  
FIELDS 2912

FUSE 1915  
FUSE 2956  
FIELDS 4438  
FIELDS 2093  
FIELDS 9515

# SUSTAINABILITY CREDENTIALS



Circular Carbon Footprint: according to the Environmental Product Declaration (EPD) S-P-08559 DESSO Fuse and Fields externally verified by Bureau Veritas, based on the total carbon footprint (Modules A-D) with a closed loop circular recycling scenario.



FIELDS 8904  
FIELDS 6218  
FIELDS 1510

FIELDS 8841  
 FIELDS 2087  
 FIELDS 7231  
 FIELDS 7814



# TECHNICAL SPECIFICATIONS

Preliminary specification according to EN 1307

Type of manufacture	ISO 2424	Tufted 1/10" Structured loop pile	
Pile Fibre	ISO 2424	Solution dyed BCF Polyamide 6 ECONYL®*	
Dimensions	EN ISO 24342	50 x 50 cm / 19,68" x 19,68" (20 tiles per box)	
Primary backing	ISO 2424	Polyester fleece	
Secondary backing	ISO 2424	DESSO EcoBase®**	
Total thickness	ISO 1765	6.5 mm	0.3 inch
Effective pile thickness	ISO 1766	2.8 mm	0.11 inch
Total mass	ISO 8543	4100 g/m <sup>2</sup>	121.0 oz/yd <sup>2</sup>
Total pile mass	ISO 2424	730 g/m <sup>2</sup>	21.5 oz/yd <sup>2</sup>
Effective pile mass	ISO 8543	415 g/m <sup>2</sup>	12.2 oz/yd <sup>2</sup>
Pile density	ISO 8543	0.148 g/cm <sup>3</sup>	0.0054 lb/in <sup>3</sup>
Number of tuft	ISO 1763	1580 /dm <sup>2</sup>	132104 /yd <sup>2</sup>
Stroll test	ISO 6356	≤ 2.0 kV	
Classification for use	EN 1307	33 Commercial - heavy use	
Vertical resistance	ISO 10965	≤ 1 x 10 <sup>9</sup> Ohm	
Dimensional stability	EN 986	≤ 0.2 %	
Impact sound reduction ΔL <sub>w</sub>	ISO 10140	23 dB	
Noise reduction	ISO 354	0.15 α <sub>w</sub>	
Reaction to Fire	ISO AS 9239-1	Critical Radiant Flux 4.8kW/m <sup>2</sup> Smoke 256%.min	

**Preliminary specification**  
 Tarkett carpet products are to be installed in full accordance with the DESSO installation instructions and recognised trade standards. An effective, regular cleaning and maintenance programme is vital for retaining a high appearance level. Tarkett carpet products should only be used as floorcoverings. Note: Tarkett reserves the right to amend this specification without giving prior notice. For the latest versions of the technical specifications, check our internet site: [www.tarkett.com](http://www.tarkett.com)



**CE**  
 EN 14041  
 0493-CPR-0002

Manufactured by:  
 Fabriqué par:  
 Geproduceerd door:  
 Hergestellt von:

Tarkett BV  
 PO BOX 169  
 NL - 5140AD Waalwijk

\* ECONYL® is made from 100% regenerated content.

\*\* EcoBase - 100% recyclable, contains up to 91% recycled and bio-based content. Recycled content is externally verified by Lloyds Register.



Photography: Alexander van Berge  
Stylist: Bregje Nix

#### **Tarkett Human-Conscious Design®**

Tarkett Human-Conscious Design® is our pledge to stand with present and future generations. To create flooring and sports surfaces that are good for people and for the planet. And to do it every day. We deliver on this through the synergy of three commitments:

- 1 Deep human understanding
- 2 Conscious choices. For people and planet
- 3 With you. Every step of the way

#### **About Tarkett**

With a history of more than 140 years, Tarkett is a worldwide leader in innovative and sustainable flooring and sports surface solutions, generating turnover of € 3.4 billion in 2023. The Group has close to 12,000 employees, 23 R&D centers, 8 recycling centers and 34 production sites. Tarkett creates and manufactures solutions for hospitals, schools, housing, hotels, offices, stores and sports fields, serving customers in over 100 countries. To build “The Way to Better Floors,” the Group is committed to circular economy and sustainability, in line with its Tarkett Human-Conscious Design® approach. Tarkett is listed on the Euronext regulated market (compartment B, ISIN: FR0004188670, ticker: TKTT) [www.tarkett-group.com](http://www.tarkett-group.com)

© Tarkett, April 2025

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.